

MODELS:	VEU9SCP VEU12SCP	VEU15SCP VEU18SCP	VEU25SCP VEU31SCP	VEU37SCP	Europa series – Ventilated without storage flat glass.
---------	---------------------	----------------------	----------------------	----------	--

Strengths

- ✓ Combination of different cooling system modules: ventilated, half-static and static. Modules with or without cooled storage. Angles and counters to adapt the line to a space.
- ✓ Greater precision in temperature control. Easier to adjust the temperature range we want to achieve.
- ✓ All condenser units are tested 100%, in helium chambers to refrigerant leak detections.
- ✓ LED lighting incorporated, reducing energetic consumption between 80% and 90% respect to a traditional light bulb.
- ✓ Infrico is AENOR audited and certified by internationally recognized firm. ISO 9001:2015 (Quality); ISO 14001:2015 (Environmental); OSHAS 18001:2007 (Prevention and Worker Safety). Audited and Certified by INTERTEK for compliance with UL 471 and NSF 7.



VEU 18 SCP

MODELS	Dimensions (mm)			Sides thickness (mm)	Exposure surface (m2)	Gross volume (L)	Temp. regime (°C)	Ref.	Net weight (Kg.)
	Length	Depth	Height						
VEU9SCP	938	1285	1310	40 + 40	0,86	1580	0°C/+6°C	R452A	154
VEU12SCP	1250	1285	1310	40 + 40	1,14	2100	0°C/+6°C	R452A	186
VEU15SCP	1562	1285	1310	40 + 40	1,43	2630	0°C/+6°C	R452A	194
VEU18SCP	1875	1285	1310	40 + 40	1,72	3160	0°C/+6°C	R452A	206
VEU25SCP	2500	1285	1310	40 + 40	2,29	4210	0°C/+6°C	R452A	240
VEU31SCP	3125	1285	1310	40 + 40	2,86	5265	0°C/+6°C	R452A	240
VEU37SCP	3750	1285	1310	40 + 40	3,43	6315	0°C/+6°C	R452A	360

MODELS:	VEU9SCP VEU12SCP	VEU15SCP VEU18SCP	VEU25SCP VEU31SCP	VEU37SCP	<i>Europa series – Ventilated without storage flat glass.</i>
---------	---------------------	----------------------	----------------------	----------	---

STANDARD FEATURES

➤ **Modular lines**

- Different cooling system modules can be combined using complete dividers.
- Designed for meat and precooked and packaged foods, charcuterie, milk products and sandwiches.

► **Exterior**

- Plastic coated steel exterior.
- AISI 304 stainless steel worktop.
- Galvanised steel exposure surface.
- Lacquered DM decoration.
- Lift-up tempered security flat glass system.

► **Interior**

- Plastic coated steel interior.
- Enamelled steel base.
- LED lighted shelf and exposure surface.
- Storage door clearance of 425x255 mm.

OPTIONAL

- ☐ Stainless steel exposure surface.
- ☐ Night curtains.
- ☐ Heated glass.

➤ **Insulation**

- Insulation by free CFC's polyurethane, foam high-pressure injected with density 40 Kg/m³.
- Zero ODP and Low GWP.

➤ **Refrigeration**

- Temperature and defrost regulated by a digital controller.
- Automatic defrost.
- Ventilated condensation system.
- Forced evaporation system.
- Stainless steel evaporative tray with double vat, one for hot gas and another with electrical heater.
- Climatic class 4 (30°C, 55%RH).

➤ **Electrical**

- Electrical connection: 230 V / 1 ph / 50 Hz.



- ❑ Double plane (without storage).
- ❑ Range of decoration colours (consult).
- ❑ Electrical connection 230 V / 1 ph / 60 Hz.
- ❑ Electrical connection 115 V / 1 ph / 60 Hz.


MODELS	Palletizing dimensions (mm)			Palet weight (Kg.)	Power (W)	Comp. (HP)	Cooling power (W a -10°C)	Consume (kWh/24h)	Inten. (A)	Container 20' /40' /40'HC	Trailer
	Length	Depth	Height								
VEU9SCP	1100	1330	1500	190	755	1/2	817	10,6	3,5	8 / 17 / 17	22
VEU12SCP	1340	1330	1500	200	1015	5/8	1096	14,2	5,5	4 / 8 / 8	10
VEU15SCP	1720	1330	1500	215	1070	3/4	1315	15,0	4,5	4 / 8 / 8	10
VEU18SCP	2040	1340	1550	336	1310	1	1506	18,3	5,5	4 / 8 / 8	10
VEU25SCP	2660	1330	1500	410	1585	1 + 1/6	2009	22,2	6,1	2 / 4 / 4	5
VEU31SCP	3275	1340	1500	380	310	-	2600	4,3	1,6	1 / 3 / 3	4
VEU37SCP	3920	1350	1550	570	370	-	3000	5,2	1,1	1 / 3 / 3	3

MODELS:	VEU9SCP VEU12SCP	VEU15SCP VEU18SCP	VEU25SCP VEU31SCP	VEU37SCP
---------	---------------------	----------------------	----------------------	----------


Europa series – Ventilated without storage flat glass.

GENERAL VIEW

FRONT VIEW



TOP VIEW



VEU9SCP


VEU12SCP

VEU15SCP

VEU18SCP

VEU25SCP


FRONT VIEW




VEU31SCP

VEU37SCP


TOP VIEW



SIDE VIEW



CONEXIONES



MODELOS	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
VEU9SCP	303	260	108	341	687	500
VEU12SCP	303	260	108	341	687	625
VEU15SCP	303	260	108	341	687	781
VEU18SCP	303	260	108	341	687	938
VEU25SCP	303	260	108	341	687	1250