

MODELS:	VEU9SCB VEU12SCB	VEU15SCB VEU18SCB	VEU25SCB	Europa series – Refrigerated modular self service display case.
---------	-----------------------------------	------------------------------------	-----------------	--

Strengths

- ✓ **Combination of different cooling system modules: ventilated, half-static and static. Modules with or without cooled storage. Angles and counters to adapt the line to a space.**
- ✓ **Greater precision in temperature control. Easier to adjust the temperature range we want to achieve.**
- ✓ **All condenser units are tested 100%, in helium chambers to refrigerant leak detections.**
- ✓ **LED lighting incorporated, reducing energetic consumption between 80% and 90% respect to a traditional light bulb.**
- ✓ **Infrico is AENOR audited and certified by internationally recognized firm. ISO 9001:2015 (Quality); ISO 14001:2015 (Environmental); OSHAS 18001:2007 (Prevention and Worker Safety). Audited and Certified by INTERTEK for compliance with UL 471 and NSF 7.**



VEU15SCB

MODELS	Dimensions (mm)			Sides thickness (mm)	Exposure surface (m²)	Gross volume (L)	Temp. regime (°C)	Ref.	Net weight (Kg.)	Sides thickness (mm)	Exposure surface (m²)	Gross volume (L)
	Length	Depth	Height									
VEU9SCB	938	1285	905	40 + 40	-	0,86	-	1580	2°C/+6°C	R404A	350	154
VEU12SCB	1250	1285	905	40 + 40	-	1,14	-	2100	2°C/+6°C	R404A	400	165
VEU15SCB	1562	1285	905	40 + 40	-	1,43	-	2630	2°C/+6°C	R404A	450	186
VEU18SCB	1875	1285	905	40 + 40	-	1,72	-	3160	2°C/+6°C	R404A	550	206
VEU25SCB	2500	1285	905	40 + 40	-	2,29	-	4210	2°C/+6°C	R404A	650	240

MODELS:	VEU9SCB VEU12SCB	VEU15SCB VEU18SCB	VEU25SCB	Europa series – Refrigerated modular self service display case.
---------	-----------------------------------	------------------------------------	-----------------	--

STANDARD FEATURES

➤ Modular lines

- Designed for meat and precooked and packaged foods, charcuterie, milk products and sandwiches.

➤ Exterior

- Plastic coated steel exterior.
- AISI 304 stainless steel worktop.
- Galvanised steel exposure surface.
- Lacquered DM decoration.
- Folding secured curved glass.

➤ Interior

- Plastic coated steel interior.
- Enamelled steel base.
- LED lighted shelf and exposure surface.
- Storage door clearance of 425x255 mm.

➤ Insulation

- Insulation by free CFC's polyurethane, foam high-pressure injected with density 40 Kg/m³.
- Zero ODP and Low GWP.

➤ Refrigeration

- Temperature and defrost regulated by a digital controller.
- Automatic defrost.
- Ventilated condensation system.
- Forced evaporation system.
- Stainless steel evaporative tray with double vat, one for hot gas and another with electrical heater.
- Climatic class 4 (30°C, 55%RH).

➤ Electrical

- Electrical connection: 230 V / 1 ph / 50 Hz.



OPTIONAL

- ☐ Stainless steel exposure surface.
- ☐ Night curtains.
- ☐ Heated glass.
- ☐ Optional shelf.


- ☐ Double plane (without storage).
- ☐ Range of decoration colours (consult).
- ☐ Electrical connection 230 V / 1 ph / 60 Hz.
- ☐ Electrical connection 115 V / 1 ph / 60 Hz.

MODELS	Dimensions Palletizing (mm)			Pallet weight (Kg.)	Power (W)	Comp. (HP)	Cooling power (W at -10°C)	Consumption (kWh/24h)	Inten. (A)	Container 20' / 40' / 40' HC	Trailer	Pallet weight (Kg.)
	Length	Depth	Height									
VEU9SBC	1100	1330	1500	190	755	1/2	817	10,6	3,2	58,4	8 / 17 / 17	22
VEU12SBC	1340	1330	1500	200	1015	5/8	1096	14,2	3,5	58,7	4 / 8 / 8	10
VEU15SBC	1720	1330	1500	215	1070	3/4	1315	15,0	4,5	59,1	4 / 8 / 8	10
VEU18SBC	2030	1330	1500	275	1310	1	1506	18,3	5,5	59,6	4 / 8 / 8	10
VEU25SBC	2660	1330	1500	410	1585	1 + 1/6	2009	22,2	6,1	61,2	2 / 4 / 4	5


MODELS:	VEU9SCB VEU12SCB	VEU15SCB VEU18SCB	VEU25SCB	<i>Europa series – Refrigerated modular self service display case.</i>
---------	---------------------	----------------------	----------	--

GENERAL VIEWS

FRONT VIEW



TOP VIEW



VEU9SCB


VEU12SCB

VEU15SCB


VEU18SCB

VEU25SCB

SIDE VIEW



CONNECTIONS



MODELS	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
VEU9SCB	303	260	108	341	687	500
VEU12SCB	303	260	108	341	687	625
VEU15SCB	303	260	108	341	687	781
VEU18SCB	303	260	108	341	687	938
VEU25SCB	303	260	108	341	687	1250