



MODELS: **VEU90AAR RCP**
**VEU90ACR RCP**
**Europa series– Angles – Refrigerated modular flat glass.**

### Strengths

- ✓ **Combination of different cooling system modules: ventilated, half-static and static. Modules with or without cooled storage. Angles and counters to adapt the line to a space.**
- ✓ **Greater precision in temperature control. Easier to adjust the temperature range we want to achieve.**
- ✓ **All condenser units are tested 100%, in helium chambers to refrigerant leak detections.**
- ✓ **LED lighting incorporated, reducing energetic consumption between 80% and 90% respect to a traditional light bulb.**
- ✓ **Infrico is AENOR audited and certified by internationally recognized firm. ISO 9001:2015 (Quality); ISO 14001:2015 (Environmental); OSHAS 18001:2007 (Prevention and Worker Safety). Audited and Certified by INTERTEK for compliance with UL 471 and NSF 7.**



VEU90AA\_CP



VEU90ACR\_CP

| MODELS         | Dimensions (mm) |       |        | Sides thickness (mm) | Exposure surface (m²) | Gross volume (L) | Régimen Temp. (°C) | Ref.  | Gas (gr.) | Net weight (Kg.) |
|----------------|-----------------|-------|--------|----------------------|-----------------------|------------------|--------------------|-------|-----------|------------------|
|                | Length          | Depth | Height |                      |                       |                  |                    |       |           |                  |
| VEU90AAR R/SCP | 1285            | 1150  | 1310   | 40 + 40              | 1,10                  | 2232             | 0°C / +6°C         | R452A | 550       | 225              |
| VEU90ACR R/SCP | 1887            | 1285  | 1310   | 40 + 40              | 1,85                  | 3177             | 0°C / +6°C         | R452A | 600       | 240              |

|                             |                     |                                                                 |
|-----------------------------|---------------------|-----------------------------------------------------------------|
| MODELS: <b>VEU90AAR RCP</b> | <b>VEU90ACR RCP</b> | <b>Europa series– Angles – Refrigerated modular flat glass.</b> |
|-----------------------------|---------------------|-----------------------------------------------------------------|

## STANDARD FEATURES

### ➤ Modular lines

- Designed for meat and precooked and packaged foods, charcuterie, milk products and sandwiches.

### ➤ Exterior

- Plastic coated steel exterior.
- AISI 304 stainless steel worktop.
- Galvanised steel exposure surface.
- Lacquered DM decoration.
- Folding secured curved glass.

### ➤ Interior

- Plastic coated steel interior.
- Enamelled steel base.
- LED lighted shelf and exposure surface.
- Storage door clearance of 425x255 mm.

### ➤ Insulation

- Insulation by free CFC's polyurethane, foam high-pressure injected with density 40 Kg/m<sup>3</sup>.
- Zero ODP and Low GWP.

### ➤ Refrigeration

- Temperature and defrost regulated by a digital controller.
- Automatic defrost.
- Ventilated condensation system.
- Forced evaporation system.
- Stainless steel evaporative tray with double vat, one for hot gas and another with electrical heater.
- Climatic class 4 (30°C, 55%RH).

### ➤ Electrical

- Electrical connection: 230 V / 1 ph / 50 Hz.



## OPTIONAL

- ☐ Stainless steel exposure surface.
- ☐ Sliding back doors.
- ☐ Night curtains.
- ☐ Heated glass.

- ☐ Double plane (without storage).
- ☐ Range of decoration colours (consult).
- ☐ Electrical connection 230 V / 1 ph / 60 Hz.
- ☐ Electrical connection 115 V / 1 ph / 60 Hz.

| MODELS         | Dimensions palletizing (mm) |       |        | Pallet weight (Kg.) | Power (W) | Comp. (HP) | Cooling power (W at -10°C) | Consumption (kWh/24h) | Container 20' / 40' / 40' HC | Trailer |
|----------------|-----------------------------|-------|--------|---------------------|-----------|------------|----------------------------|-----------------------|------------------------------|---------|
|                | Length                      | Depth | Height |                     |           |            |                            |                       |                              |         |
| VEU90AAR R/SCP | 2000                        | 1645  | 1530   | 254                 | 1025      | 5/8        | 1096                       | 14,4                  | 3 / 7 / 7                    | 8       |
| VEU90ACR R/SCP | 3000                        | 1690  | 1530   | 270                 | 1110      | 3/4        | 1315                       | 15,5                  | 1 / 4 / 4                    | 4       |


MODELS: VEU90AAR RCP

VEU90ACR RCP

Europa series– Angles – Refrigerated modular flat glass.



## GENERAL VIEW

FRONT VIEW




VEU90AAR\_CP


TOP VIEW




VEU90ACR\_CP



SIDE VIEW



Without Storage



With Storage